1999

Rickert

WHO/NGD/TFI/99.11

Background Paper

Environmental Tobacco Smoke: Properties, Measurement Techniques and Applications

W.S. (Bill) Rickert, LABSTAT INTERNATIONAL Inc., 262 Manitou Drive, Unit 5, Kitchener, Ontario, Canada N2C 1L3
Tel: + 1 519 748 5409; Fax: +1 519 748 1654; Email: wrickert@labstat.com

in pdf on
http://tobacco.who.int/en/health/background-papers-ets.html

Raymond,
Here are the figures for Rickert (1999).

Carol

PM3006484455

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001



FIGURE 1

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001

A. BAT Fish-tail Chamber (Diagram)



FIGURE 2

B. BAT Fish-tail Chamber (Example)

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001



A



B

FIGURE 3

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001



FIGURE 5



A



B

6

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001

noke Particulates and Smoking Level



Solanesol and Smoking Lev



Nicotine in Relation to Smoking Level



Crotonaldehyde and Smoking Le



e 7

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001



Figure 8

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001

Nicotine by Active and Passive Monitorir



Figure 9

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001





Figure 10

Source: https://www.industrydocuments.ucsf.edu/docs/nhxj0001